- 36 -

SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT: (countries other than US) AMRAD OPERATIONS PTY. LTD. (us only) Hayward, N and Weber, G
 - (ii) TITLE OF INVENTION: A NOVEL GROWTH FACTOR AND A GENETIC SEQUENCE ENCODING SAME
 - (iii) NUMBER OF SEQUENCES: 14
 - (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: DAVIES COLLISON CAVE
 - (B) STREET: 1 LITTLE COLLINS STREET
 - (C) CITY: MELBOURNE
 - (D) STATE: VICTORIA
 - (E) COUNTRY: AUSTRALIA
 - (F) ZIP: 3000
 - (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
 - (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: PCT INTERNATIONAL
 - (B) FILING DATE: 22-FEB-1996
 - (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: AU PN1457
 - (B) FILING DATE: 02-MAR-1995
 - (A) APPLICATION NUMBER: AU PN6647
 - (B) FILING DATE: 20-NOV-1995
 - (A) APPLICATION NUMBER: AU PN7274
 - (B) FILING DATE: 22-DEC-1995

July /



- 37 -

/\	
(viii) ATTORNEY/AGENT INFORMATION:	
(A) NAME: HUGHES DR, E JOHN L	
(C) REFERENCE/DOCKET NUMBER: EJH/EK	
(ix) TELECOMMUNICATION INFORMATION:	
(A) TELEPHONE: +61 3 9254 2777	
(B) TELEFAX: +61 3 9254 2770	
(3) 12-12-1	
(2) INFORMATION FOR SEQ ID NO:1:	-
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 649 base pairs	
(B) TYPE:\nucleic acid (C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA	
(ix) FEATURE:	
(A) NAME/KEY: CDS (B) LOCATION: 17589	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
TCGGGCCTCC GAAACC ATG AAC TIT CTG CTG TCT TGG GTG CAT TGG AGC	49
Met Asn Phe Leu Leu Ser Trp Val His Trp Ser	
CTT GCC TTG CTG CTC TAC CTC CAC CAT GCC AAG TGG TCC CAG GCT GCA	97
Leu Ala Leu Leu Tyr Leu His His Ala Lys Trp Ser Gln Ala Ala 15 20 25	-
	145
CCC ATG GCA GAA GGA GGA GGG CAG AAT CAT CAC GAA GTG GTG AAG TTC	145
Pro Met Ala Glu Gly Gly Gln Asn His His Glu Val Val Lys Phe 30 35 40	
\ .	193
ATG GAT GTC TAT CAG CGC AGC TAC TGC CAT CCA ATC GAG ACC CTG GTG Met Asp Val Tyr Gln Arg Ser Tyr Cys His Pro Ile Glu Thr Leu Val	100
45 50 55	
\	241
GAC ATC TTC CAG GAG TAC CCT GAT GAG ATC GAG TAC ATC TTC AAG CCA Asp Ile Phe Gln Glu Tyr Pro Asp Glu Ile Glu Tyr Ile Phe Lys Pro	
ASS THE FIRE SIN STATE 75 75 75	
TCC TGT GTG CCC CTG ATG CGA TGC GGG GGC TGC AAT GAC GAG GGC	289
Ser Cys Val Pro Leu Met Arg Cys Gly Gly Cys Cys Ash Asp Glu Gry	
80 85 \ 90	

CTG GAG TGT GTG CCC ACT GAG GAG TCC AAC ATC ACC ATG CAG ATT ATG Leu Glu Cys Val Pro Thr Glu Glu Ser Asn Ile Thr Met Gln Ile Met 100 105	337
CGG ATC AAA CCT CAC CAA GGC CAG CAC ATA GGA GAG ATG AGC TTC CTA Arg Ile Lys Pro His Gln Gly Gln His Ile Gly Glu Met Ser Phe Leu 110 115 120	385
CAG CAC AAC AAA TGT GAA TGC AGA CCA AAG AAA GAT AGA GCA AGA CAA Gln His Asn Lys Cys Glu Cys Arg Pro Lys Lys Asp Arg Ala Arg Gln 125	433
GAA AAT CCC TGT GGG CCT TGC TCA GAG CGG AGA AAG CAT TTG TTT GTA Glu Asn Pro Cys Gly Rro Cys Ser Glu Arg Arg Lys His Leu Phe Val 140 155 156	481
CAA GAT CCG CAG ACG TGT AAA TGT TCC TGC AAA AAC ACA GAC TCG CGT Gln Asp Pro Gln Thr Cys Lys Cys Ser Cys Lys Asn Thr Asp Ser Arg 160 165 170	529
TGC AAG GCG AGG CAG CTT GAG TTA AAC GAA CGT ACT TGC AGA TGT GAC Cys Lys Ala Arg Gln Leu Glu Leu Asn Glu Arg Thr Cys Arg Cys Asp 175 180 185	577
AAG CCG AGG CGG TGAGCCGGGC AGGAGGAAGG AGCCTCCCTC AGCGTTTCGG Lys Pro Arg Arg 190	629
GAACCAGATC TCTCACCAGG (2) INFORMATION FOR SEQ ID NO:2:	649
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 191 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: protein (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
Met Asn Phe Leu Leu Ser Trp Val His Trp Ser Leu Ala Leu Leu Leu 1 10 15	
Tyr Leu His His Ala Lys Trp Ser Gln Ala Ala Pro Met Ala Glu Gly 20 25 30	
Gly Gly Gln Asn His His Glu Val Val Lys Phe Met Asp Val Tyr Gln 35 40	
Arg Ser Tyr Cys His Pro Ile Glu Thr Leu Val Asp Ile Phe Gln Glu 50 60	

on the first of the contract of the first of the contract of t

Tyr Pro Asp\Glu Ile Glu Tyr Ile Phe Lys Pro Ser Cys Val Pro Leu Met Arg Cys G $^1_{Y}$ Gly Cys Cys Asn Asp Glu Gly Leu Glu Cys Val Pro 90 Thr Glu Glu Ser Asn Ile Thr Met Gln Ile Met Arg Ile Lys Pro His 105 100 Gln Gly Gln His The Gly Glu Met Ser Phe Leu Gln His Asn Lys Cys 120 115 Glu Cys Arg Pro Lys Lys Asp Arg Ala Arg Gln Glu Asn Pro Cys Gly 135 130 Pro Cys Ser Glu Arg Arg Lys His Leu Phe Val Gln Asp Pro Gln Thr 155 15/0 Cys Lys Cys Ser Cys Lys\Asn Thr Asp Ser Arg Cys Lys Ala Arg Gln 165 Leu Glu Leu Asn Glu Arg Thr Cys Arg Cys Asp Lys Pro Arg Arg 185 180

- (2) INFORMATION FOR SEQ ID NO:3:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1094 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 3..624
 - (xi) SEQUENCE DESCRIPTION: SEQ IN NO:3:
- CTG GCC CCC GCC CAG GCC CCT GTC TCC CAG CCT GAT GCC CCT GGC CAC 95

 Leu Ala Pro Ala Gln Ala Pro Val Ser Gln Pro Asp Ala Pro Gly His

 20 25 30
- CAG AGG AAA GTG GTG TCA TGG ATA GAT GTG TAT ACT CGC GCT ACC TGC 143
 Gln Arg Lys Val Val Ser Trp Ile Asp Val Tyr Arg Ala Thr Cys
 45



State of the second section of the Automotive

\	191
CAG CCC CGG CAG GTG GTG GTG CCC TTG ACT GTG GAG CTC ATG GGC ACC Gln Pro Arg Glu Val Val Val Pro Leu Thr Val Glu Leu Met Gly Thr 50 60	
GTG GCC AAA CAG CTG GTG CCC AGC TGC GTG ACT GTG CAG CGC TGT GGT Val Ala Lys Gln Leu Val Pro Ser Cys Val Thr Val Gln Arg Cys Gly 65 70 75	239
GGC TGC TGC CCT GAC GAT GGC CTG GAG TGT GTG CCC ACT GGG CAG CAC Gly Cys Cys Pro Asp Asp Gly Leu Glu Cys Val Pro Thr Gly Gln His 85 90 95	287
CAA GTC CGG ATG CAG ATC CTC ATG ATC CGG TAC CCG AGC AGT CAG CTG Gln Val Arg Met Gln Ile Leu Met Ile Arg Tyr Pro Ser Ser Gln Leu 100 105 110	335
GGG GAG ATG TCC CTG GAA GAA CAC AGC CAG TGT GAA TGC AGA CCT AAA Gly Glu Met Ser Leu Glu Glu His Ser Gln Cys Glu Cys Arg Pro Lys 115 120 125	383
AAA AAG GAC AGT GCT GTG AAG CCA GAC AGG GCT GCC ACT CCC CAC CAC Lys Lys Asp Ser Ala Val Lys Pro Asp Arg Ala Ala Thr Pro His His 130	431
CGT CCC CAG CCC CGT TCT GTT CCG GGC TGG GAC TCT GCC CCC GGA GCA Arg Pro Gln Pro Arg Ser Val Pro Gly Trp Asp Ser Ala Pro Gly Ala 145 150 155	479
CCC TCC CCA GCT GAC ATC ACC CAT CCC ACT CCA GCC CCA GGC CCC TCT Pro Ser Pro Ala Asp Ile Thr His Pro Thr Pro Ala Pro Gly Pro Ser 160 165 170 175	527
GCC CAC GCT GCA CCC AGC ACC AGC AGC CCTG ACC CCC GGA CCT GCC Ala His Ala Ala Pro Ser Thr Thr Ser Ala Leu Thr Pro Gly Pro Ala 180	575
GCT GCC GCT GCC GCC GCA GCT TCC TCC GTT GCC AAG GGC GGG GCT T Ala Ala Ala Ala Ala Ala Ala Ser Ser Val Ala Lys Gly Ala 195 200 205	624
AGAGCTCAAC CCAGACACCT GCAGGTGCCG GAAGCTGCGA AGGTGACACA TGGCTTTTCA	684
GACTCAGCAG GGTGACTTGC CTCAGAGGCT ATATCCCAGT GGGGGAACAA AGGGGAGCCT	744
GGTAAAAAAC AGCCAAGCCC CCAAGACCTC AGCCCAGGCA GAAGCTGCTC TAGGACCTGG	804
GCCTCTCAGA GGGCTCTTCT GCCATCCCTT GTCTCCCTGA GGCCATCATC AAACAGGACA	864
GAGTTGGAAG AGGAGACTGG GAGGCAGCAA GAGGGGTCAC ATACCAGCTC AGGGGAGAAT	924
GGAGTACTGT CTCAGTTTCT AACCACTCTG TGCAAGTAAG CATCTTACAA CTGGCTCTTC	984
CTCCCCTCAC TAAGAAGACC CAAACCTCTG CATAATGGGA TTTGGGCTTT GGTACAAGAA	
CTGTGACCCC CAACCCTGAT AAAAGAGATG GAAGGAAAAA AAAAAAAAAA	109

- 41 -

- (2) INFORMATION FOR SEQ ID NO:4:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 207 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Ser Pro Leu Leu Arg Arg Leu Leu Leu Ala Ala Leu Leu Gln Leu

1 10 15

Ala Pro Ala Gln Ala Pro Val Ser Gln Pro Asp Ala Pro Gly His Gln 20 25 30

Arg Lys Val Val Ser Trp \text{Tle Asp Val Tyr Thr Arg Ala Thr Cys Gln 45}

Pro Arg Glu Val Val Val Pro Leu Thr Val Glu Leu Met Gly Thr Val

Ala Lys Gln Leu Val Pro Ser Cys Val Thr Val Gln Arg Cys Gly Gly
65 70 75 80

Cys Cys Pro Asp Asp Gly Leu Gl\(\frac{1}{2}\) Cys Val Pro Thr Gly Gln His Gln
85 90 95

Val Arg Met Gln Ile Leu Met Ile Arg Tyr Pro Ser Ser Gln Leu Gly

Glu Met Ser Leu Glu Glu His Ser Gla Cys Glu Cys Arg Pro Lys Lys

Lys Asp Ser Ala Val Lys Pro Asp Arg Ala Ala Thr Pro His His Arg

Pro Gln Pro Arg Ser Val Pro Gly Trp Ask Ser Ala Pro Gly Ala Pro 145 Ser Ala Pro Gly Ala Pro 150

Ser Pro Ala Asp Ile Thr His Pro Thr Pro Ala Pro Gly Pro Ser Ala 165 170 175

His Ala Ala Pro Ser Thr Thr Ser Ala Leu The Pro Gly Pro Ala Ala 180 185 190

Ala Ala Asp Ala Ala Ser Ser Val Ala Lys Gly Gly Ala
195 200 205

W 3 L

(2) INFORMATION FOR SEQ ID NO:5:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 993 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA	
(ix) FEATURE: (A) NAME KEY: CDS (B) LOCATION: 3566	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
CC ATG AGC CCT CTG CTC CGC CGC CTG CTG CTC GCC GC	47
CTG GCC CCC GCC CAG GCC CCT GTC TCC CAG CCT GAT GCC CCT GGC CAC Leu Ala Pro Ala Gln Ala Pro Val Ser Gln Pro Asp Ala Pro Gly His 20 25 30	95
CAG AGG AAA GTG GTG TCA TGG ATA GAT GTG TAT ACT CGC GCT ACC TGC Gln Arg Lys Val Val Ser Trp Ile Asp Val Tyr Thr Arg Ala Thr Cys 35	143
CAG CCC CGG GAG GTG GTG CCC TTG ACT GTG GAG CTC ATG GGC ACC Gln Pro Arg Glu Val Val Pro Leu Thr Val Glu Leu Met Gly Thr 50 55 60	191
GTG GCC AAA CAG CTG GTG CCC AGC TGC GTG ACT GTG CAG CGC TGT GGT Val Ala Lys Gln Leu Val Pro Ser Cys Val Thr Val Gln Arg Cys Gly 65 70 75	239
GGC TGC TGC CCT GAC GAT GGC CTG GAG TGT GTG CCC ACT GGG CAG CAC Gly Cys Cys Pro Asp Asp Gly Leu Glu Cys Val Pro Thr Gly Gln His 80 85	287
CAA GTC CGG ATG CAG ATC CTC ATG ATC CGG TAC CCG AGC AGT CAG CTG Gln Val Arg Met Gln Ile Leu Met Ile Arg Tyr Pro Ser Ser Gln Leu 100 105	335
GGG GAG ATG TCC CTG GAA GAA CAC AGC CAG TGT GAA TGC AGA CCT AAA Gly Glu Met Ser Leu Glu Glu His Ser Gln Cys Glu Cys Arg Pro Lys 115	383
AAA AAG GAC AGT GCT GTG AAG CCA GAT AGC CCC AGG CCC CTC TGC CCA Lys Lys Asp Ser Ala Val Lys Pro Asp Ser Pro Arg Pro Leu Cys Pro 130	431

ful J

,	
CGC TGC ACC CAG CAC CAG CGC CCT GAC CCC CGG ACC TGC CGC TGC	47
Ard Cys Thr Gln His His Gln Arg Pro Asp Pro Arg Thr Cys Arg Cys 145	
135	
COC TOC COA COC COC AGO TTO CTO COT TOC CAA GGG CCG GGC TTA GAG	5 2
Arg Cys Arg Arg Arg Ser Phe Leu Arg Cys Gln Gly Arg Gly Leu Glu	
160 \ 165 170 175	
CTC NO CC AND	
CTC AAC CCA GAC ACC TGC AGG TGC CGG AAG CTG CGA AGG TGACACATGG	576
Leu Aan Pro Aap thr Cya Arg Cya Arg Lya Leu Arg Arg	
180 185	
CTTTTCAGAC TCAGCAGGT GACTTGCCTC AGAGGCTATA TCCCAGTGGG GGAACAAAGG	
TONOSTORY BRETTBEETE NONDGETATA TECENCITORS GRAACAAAGG	636
GENECETEGT ANAMACAG CAAGECECEN NONCETENGE CENEGENGAN GETECTETAG	696
\	
GACCTOGGCC TCTCAGAGGG TCTTCTGCC ATCCCTTGTC TCCCTGAGGC CATCATCAAA	756
CAGGACAGAG TTGGAAGAGG AGACTGGGAG GCAGCAAGAG GGGTCACATA CCAGGTCAGG	
TIGGRADAGG AGILLIGGGAG GCAGCONGAG GGGTCACATA CCAGCTCAGG	916
GGAGAATGGA GTACTGTCTC AGT TCTAAC CACTCTGTGC AAGTAAGCAT CTTACAACTG	876
A STATE STORES TO STATE OF THE CONCING	876
GCTCTTCCTC CCCTCACTAA GAAGACCCAA ACCTCTGCAT AATOGGATTT GCGCTTTCCT	936
\	
ACAAGAACTG TGACCCCCAA CCCTGATAAA AGAGATGGAA GGAAAAAAA AAAAAAA	997
\	

(2) INFORMATION FOR SEO ID NO 16:

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 188 Amino Acida
 - (D) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Ser Pro Leu Leu Arg Arg Leu Leu Leu Ala Ala Leu Leu Gln Leu

1 5 15

Ala Pro Ala Gln Ala Pro Val Ser Gln Pro Asp Ala Pro Gly Hin Gln 20 25 30

Arg Lys Val Val Ser Trp Ile Asp Val Tyr Thr Arg Ala Thr Cys Gln
35 40 45

Pro Arq Clu Val Val Val Pro Leu Thr Val Glu Leu Met Gly Thr Val

Ala Lys Gln Lou Val Pro Ser Cys Val Thr Val Gln Arg Cys Gly Gly 65 70 75 80

95

143

191

- 44 -

			١												
Cys	Cys	Pro	Asp	Asp 85	Gly	Leu	Glu	Cys	Val 90	Pro	Thr	Gly	Gln	His 95	Gln
Val	Arg	Met	Gl# 100	Ile	Leu	Met	Ile	Arg 105	Tyr	Pro	Ser	Ser	Gln 110	Leu	Gly
Glu	Met	Ser 115	Leu	Glu	Glu	His	Ser 120	Gln	Cys	Glu	Cys	Arg 125	Pro	Lys	Lys
Lys	Asp 130	Ser	Ala	val	Lys	Pro 135	Asp	Ser	Pro	Arg	Pro 140	Leu	Cys	Pro	Arg
Cys 145	Thr	Gln	His	His	Gln \150	Arg	Pro	Asp	Pro	Arg 155	Thr	Cys	Arg	Cys	Arg 160
Cys	Arg	Arg	Arg	Ser 165	Phe	Leu	Arg	Cys	Gln 170	Gly	Arg	Gly	Leu	Glu 175	Leu
Asn	Pro	Asp	Thr 180	Cys	Arg	Cys	Arg	Lys 185	Leu	Arg	Arg				
						\									
(2)	INF	ORMAT	rion	FOR	SEQ	10 1	NO : 7	, :							
	/ ;)	CE/	ATTENIO	CE CI	AGAL	жаль. /	TSTI	CS:							
	(1)	(2	A) LI	ENGTI	i: 8	58 b	ase y	pair	s						
				PE : PRANI											
				OPOLO				J - -							
	(ii)	MOI	LECUI	LE T	YPE:	DNA	\			•					
	(iv	(सम्र	ATURI	R.			'	\							
	((2	A) N	AME/I											
		(1	B) L	OCAT:	ION:	3	431	\							
	(xi) SE	QUEN	CE D	ESCR	IPTI	ON:	SEO	ID N	0:7:					
				CTG (7mc (cee e	יפר נ	` ግጥር (Arc (מיני (SCC (GCA (CTC (TG (CAG
CC I	Met	age (Ser	Pro	Leu	Leu	Arg	Arg	Leu	Leu	Leu	Ala	Ala	Leu	Leu	GIn
	1				5				\	10					15
CTG	GCC	CCC	GCC	CAG	GCC	CCT	GTC	TCC	CAG	CCT	GAT	GCC	CCT	GGC	CAC
Leu	Ala	Pro	Ala	Gln 20	Ala	Pro	Val	Ser	: Gli	Pro	Asp) Ala	a Pro	3 Gly	HIS
CAG	AGG	AAA	GTG	GTG	TCA	TGG	ATA	GAT	GTG	TAT	ACT	CGC	GCT	ACC	TGC

Gln Arg Lys Val Val Ser Trp Ile Asp Val Tyr Thr Arg Ala Thr Cys

CAG CCC CGG GAG GTG GTG GTG CCC TTG ACT GTG GAG CTC ATG GGC ACC

55

Gln Pro Arg Glu Val Val Pro Leu Thr Val\Glu Leu Met Gly Thr

60

35

λαλλαλ

GTG GCC AAA CAG CTG GTG CCC AGC TGC GTG ACT GTG CAG CGC TGT GGT Val Ala Lys Gin Leu Val Pro Ser Cys Val Thr Val Gln Ary Cys Gly 65 70 75	239
GGC TGC TGC CCT GAC GAT GGC CTG GAG TCT GTG CCC ACT GGG CAG CAC Gly Cym Cym Pro Amp Amp Gly Leu Glu Cym Val Pro Thr Gly Gln Him 80 85 95	207
CAA GTC CGG ATG CAE ATC CTC ATG ATC CGG TAC CCG AGC AGT CAC CTG Gln Val Arg Met Gli ile Leu Met Ile Arg Tyr Pro Ser Ser Gln Leu 100 105 110	335
GGG GAG ATG TCC CTG GAA GAA CAC AGC CAG TGT GAA TGC AGA CCT AAA Gly Glu Met Ser Leu Glu Glu His Ser Gln Cys Glu Cys Arg Pro Lys 115 120 125	383
AAA AAG GAC AGT GCT GTG AAG CCA GAT AGG TGC CGG AAG CTG CGA AGG Lys Lys Asp Ser Ala Val Lys Pro Asp Arg Cys Arg Lyo Leu Arg Arg 130 135 140	131
TGACACATGG CTTTTCAGAC TCAGCAGGGT GACTTGCCTC AGAGGCTATA TCCCAGTGGG	491
GGAACAAAGG GGAGCCTGGT AAAAAAAAAGC CAAGCCCCCA AGACCTCAGC ECAGGCAGAA	551
OCTGCTCTAG GACCTGGGCC TCTCAGAGG CTCTTCTGCC ATCCCTTGTC TCCCTGAGGC	611
CATCATCAAA CAGGACAGAG TTGGAAGAGA AGACTGGGAG GCAGCAAGAG GGGTCACATA	671
CCAGCTCAGG GGAGAATGGA GTACTGTCTC AGTTTCTAAC CACTCTGTGC AAGTAAGCAT	731
CTTACAACTG GCTCTTCCTC CCCTCACTAA GAAGACCCAA ACCTCTGCAT AATGGGATTT	791
GGGCTTTGGT ACAAGAACTG TGACCCCCAA COCTGATANN NGAGATGGAA GGAAAAAAAA	RSI
	A S N

- 46 -

A. 15

- (2) INFORMATION FOR SEQ ID NO:8:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) \LENGTH: 143 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Ser Pro Leu Leu Arg Leu Leu Leu Ala Ala Leu Leu Gln Leu

1 5 10 15

Ala Pro Ala Gln Ala Pro Val Ser Gln Pro Asp Ala Pro Gly His Gln 20 25 30

Arg Lys Val Val Ser Trp Ile Asp Val Tyr Thr Arg Ala Thr Cys Gln
35

Pro Arg Glu Val Val Val Pro Leu Thr Val Glu Leu Met Gly Thr Val

Ala Lys Gln Leu Val Pro Ser Cys Val Thr Val Gln Arg Cys Gly Gly 65 70 75 80

Cys Cys Pro Asp Asp Gly Leu Glu Cys Val Pro Thr Gly Gln His Gln
95

Val Arg Met Gln Ile Leu Met Ile Arg Tyr Pro Ser Ser Gln Leu Gly
105 110

Glu Met Ser Leu Glu Glu His Ser Glm Cys Glu Cys Arg Pro Lys Lys

Lys Asp Ser Ala Val Lys Pro Asp Arg Cys Arg Lys Leu Arg Arg 130 135 140

635

695

(2) INFORMATION FOR SEQ ID NO:9:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 910 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA	
(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 3305	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
CC ATG AGC CCT CTG CTC CGC CGC CTG CTG CTC GCC GC	47
CTG GCC CCC GCC CAG GCC CCT GTC TCC CAG CCT GAT GCC CCT GGC CAC Leu Ala Pro Ala Gln Ala Pro Val Ser Gln Pro Asp Ala Pro Gly His 20 25 30	95
CAG AGG AAA GTG GTG TCA TGG ATA GAT GTG TAT ACT CGC GCT ACC TGC Gln Arg Lys Val Val Ser Trp tle Asp Val Tyr Thr Arg Ala Thr Cys 35 40 45	143
CAG CCC CGG GAG GTG GTG GTG CCC TTG ACT GTG GAG CTC ATG GGC ACC Gln Pro Arg Glu Val Val Val Pro Leu Thr Val Glu Leu Met Gly Thr 50 55 60	191
GTG GCC AAA CAG CTG GTG CCC AGC TGC GTG ACT GTG CAG CGC TGT GGT Val Ala Lys Gln Leu Val Pro Ser Cys Val Thr Val Gln Arg Cys Gly 65 70 75	239
GGC TGC TGC CCT GAC GAT GGC CTG GAG TGT GTG CCC ACT GGG CAG CAC Gly Cys Cys Pro Asp Asp Gly Leu Glu Cys Val Pro Thr Gly Gln His 80 85 90 95	287
CAA GTC CGG ATG CAG ACC TAAAAAAAAG GACAGTGCTG TGAAGCCAGA Gln Val Arg Met Gln Thr 100	335
CAGGGCTGCC ACTCCCCACC ACCGTCCCCA GCCCCGTTCT GTTCCGGGCT GGGACTCTGC	395
CCCCGGAGCA CCCTCCCCAG CTGACATCAC CCATCCCAGT CCAGCCCCAG GCCCCTCTGC	455
CCACGCTGCA CCCAGCACCA CCAGCGCCCT GACCCCCGGA CCTGCCGCTG CCGCTGCCGA	515
CGCCGCAGCT TCCTCCGTTG CCAAGGGCGG GGCTTAGAGC TCAACCCAGA CACCTGCAGG	575

TGCCGGAAGC TGCGAAGGTG ACACATGGCT TTTCAGACTC AGCAGGGTGA CTTGCCTCAG

AGGCTATATC CCAGTGGGGA ACAAAGAGGA GCCTGGTAAA AAACAGCCAA GCCCCCAAGA



- 48 -

CCTCAGCCCA	GGCA	GAAGCT	GCTCTAGGAC	CTGGGCCTCT	CAGAGGGCTC	TTCTGCCATC	755
CCTTGTCTCC	CTGA	GGCCAT	CATCAAACAG	GACAGAGTTG	GAAGAGGAGA	CTGGGAGGCA	815
GCAAGAGGGG	TCAC	ATACCA	GCTCAGGGGA	GAATGGAGTA	CTGTCTCAGT	TTCTAACCAC	875
		1	ACAACTGGCT				910

(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 101 amino acids
 - (B) TYPE: amino acid
 - (D) TOPQLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Met Ser Pro Leu Leu Arg Arg Leu Leu Leu Ala Ala Leu Leu Gln Leu

1 5 10 15

Ala Pro Ala Gln Ala Pro Val Ser Gln Pro Asp Ala Pro Gly His Gln
20 25 30

Arg Lys Val Val Ser Trp I le Asp Val Tyr Thr Arg Ala Thr Cys Gln 35

Pro Arg Glu Val Val Val Pro Leu Thr Val Glu Leu Met Gly Thr Val

Ala Lys Gln Leu Val Pro Ser Cys Val Thr Val Gln Arg Cys Gly Gly
65 70 75 80

Cys Cys Pro Asp Asp Gly Leu Glu Cys Val Pro Thr Gly Gln His Gln 85 90 95

Val Arg Met Gln Thr 100 - 49 -

	ľ				
(2)	INFORMATION	FOR	SEQ	ID	NO:11

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLEQULE TYPE: Oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

ACCACCACCT CCCTGGGCTG GCATGTGGCA CGTGCATAAA CG

42

- (2) INFORMATION FOR SEQ ID NO:12:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 42 base pairs
 - (B) TYPE:\nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYRE: Oligonucleotide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

AGTTGTTTGA CCACATTGCC CATGAGTTCC ATGCTCAGAG GC

42

- (2) INFORMATION FOR SEQ ID NO:13:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 38 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: Oligonucleotide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

GATCCTGGGG CTGGAGTGGG ATGGATGATG TCAGCTGG

Same And

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) \LENGTH: 40 base pairs

 - (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

GCGGGCAGAG GATCCTGGGG CTGTCTGGCC TCACAGCACT